



ELSEVIER

Contents lists available at ScienceDirect

Ultrasound in Medicine & Biology

journal homepage:



Erratum

Erratum to ‘Repeatability, Reproducibility and Sources of Variability in the Assessment of Backscatter Coefficient and Texture Parameters from High-Frequency Ultrasound Acquisitions in Human Median Nerve’ [Ultrasound in Med & Biol. 49 (2023) 122-135]Yuanshan Wu^{1,2}, Victor Barrere^{2,3}, Aiguo Han⁴, Eric Y. Chang^{2,5}, Michael P. Andre^{2,5}, Sameer B. Shah^{1,2,3,*}¹ Department of Bioengineering, University of California, San Diego, California, USA² Research Service, VA San Diego Healthcare System, San Diego, California, USA³ Department of Orthopaedic Surgery, University of California, San Diego, California, USA⁴ Department of Electrical and Computer Engineering, University of Illinois at Urbana–Champaign, Urbana, Illinois, USA⁵ Department of Radiology, University of California, San Diego, California, USA

The publisher regrets than an error was present in Equation (1). The correct equation is:

$$BSC_{issue}(f) = BSC_{ref}(f) \frac{P_{issue}(f)}{P_{ref}(f)} e^{Ad[\alpha_{issue}(f) - \alpha_{ref}(f)]}$$

The publisher would like to apologise for any inconvenience caused.

* Address correspondence to: Sameer B. Shah, 9500 Gilman, Drive, MC 0863, La Jolla, CA 92093-0863, USA.
E-mail address: sbshah@ucsd.edu (S.B. Shah).

<https://doi.org/10.1016/j.ultrasmedbio.2023.02.001>